

L Number	Hits	Search Text	DB	Time stamp
-	0	secondary near power near saving near processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 09:47...
-	14479	(secondary or 2nd or second) near processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 14:44
-	6	((secondary or 2nd or second) near processor) same ((low near power) or (power near saving))) and (keyboard adj1 controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/11 14:46
-	6717	((first or 1st or main) near processor) same ((second or 2nd or secondary) near processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/12 12:42
-	1633	((first or 1st or main) near processor) near ((second or 2nd or secondary) near processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/12 12:43
-	5	((first or 1st or main) near processor) same ((second or 2nd or secondary) near processor)) same (keyboard near controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/12 12:45
-	46	((first or 1st or main) near processor) same ((second or 2nd or secondary) near processor)) same (low near power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/12 14:45
-	0	((first or 1st or main) near processor) same ((second or 2nd or secondary) near processor)) same (KBC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/12 14:45
-	2	((first or 1st or main) near processor) same ((second or 2nd or secondary) near processor))) and (KBC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/12 14:47
-	77	((first or 1st or main) near processor) same ((second or 2nd or secondary) near processor))) same (battery)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/12 14:48
-	2	("6631474").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/12 16:46
-	9	("5228136" "5303364" "5485594" "5490279" "5526487" "5841988" "6035408" "6240521" "6263405").PN.	USPAT	2004/02/12 14:49
-	2	((common or shared) near bus) same ((secondary or 2nd or second) near processor) same (battery or (power adj1 supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/12 16:53
-	45	(bus) same ((secondary or 2nd or second) near processor) same (battery or (power adj1 supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/12 16:50

-	2	((common or shared) near (line or bus)) same ((secondary or 2nd or second) near processor) same (battery or (power adj1 supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:54
-	0	((common or shared) near (line or bus)) near (processor) near (battery or (power adj1 supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:54
-	82	((common or shared) near (line or bus)) same (processor) same (battery or (power adj1 supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:55
-	70	((common or shared) adj1 (line or bus)) same (processor) same (battery or (power adj1 supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/12 16:55
-	2	("6240521").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:00
-	2	6240521.URPN.	USPAT	2004/02/13 09:48
-	14	("4443846" "5142684" "5592677" "5625828" "5666541" "5713028" "5737706" "5740454" "5809449" "5886689" "5918061" "5926404" "6035408" "6065123").PN.	USPAT	2004/02/13 09:51
-	2	("6535985").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:08
-	17	("4109315" "4409665" "4747041" "4851987" "4964073" "4999794" "5058203" "5065357" "5083266" "5142684" "5163153" "5167024" "5182810" "5214785" "5239652" "5241680" "5404546").PN.	USPAT	2004/02/13 10:00
-	2	("6035408").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:43
-	6	("5054052" "5230074" "5383137" "5423045" "5669003" "5886689").PN.	USPAT	2004/02/13 10:08
-	5	6035408.URPN.	USPAT	2004/02/13 10:16
-	579	((I2C or (Inter-integrated adj1 circuit)) near bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 15:19
-	106	((I2C or (Inter-integrated adj1 circuit)) near bus)) and battery and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:45
-	4	((I2C or (Inter-integrated adj1 circuit)) near bus)) same battery same processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 10:45

-	65	((I2C or (Inter-integrated adj1 circuit)) near bus)) and (battery same processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 10:49
-	86	((secondary or 2nd or second) near processor) same ((low near power) or (power near saving))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 11:20
-	256	(notebook or laptop) and (two near processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 11:21
-	99	(notebook or laptop) and (two near processor) and battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 11:21
-	0	(notebook or laptop) and (two near processor) and battery and Inter-integrated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 11:21
-	83	(notebook or laptop) and (two near processor) and battery and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 13:24
-	10	((secondary or 2nd or second) adj1 bus) same processor same battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 13:45
-	1316	controller same processor same bus same (battery or (power adj1 supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 13:47
-	1	controller same processor same (share near bus) same (battery or (power adj1 supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 13:48
-	1	processor near communicate near battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 13:51
-	0	(keyboard adj1 controller) near communicate near battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 13:52
-	3	(controller) near communicate near battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 15:05
-	20	((I2C or (Inter-integrated adj1 circuit)) near bus) and ((keyboard adj1 controller) or KBC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 15:37
-	40	((keyboard adj1 controller) or KBC) and ((secondary or second or 2nd or two) adj1 processor) and (battery or (power adj1 module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/13 16:06

-	1067	((keyboard adj1 controller) or KBC) and (processor) and (battery or (power adj1 (module or supply or source)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 16:07
-	6	((keyboard adj1 controller) or KBC) and (low near power near processor) and (battery or (power adj1 (module or supply or source)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 16:11
-	13	((keyboard adj1 controller) or KBC) and (auxiliary near processor) and (battery or (power adj1 (module or supply or source)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 16:16
-	5	((keyboard or io) adj1 controller) or KBC) and (additional near processor) and (battery or (power adj1 (module or supply or source)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 16:17
-	0	bus near shared near processor near battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:18
-	0	bus near between near processor near battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:19
-	0	bus near processor near battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:19
-	442	processor near battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:19
-	0	line near processor near battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:19
-	3	bus near processor near (power adj1 supply)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:22
-	0	(bus near processor) same (bus near (battery))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:23
-	11130	(bus near processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:24
-	3	(bus near processor) same (bus near (power adj1 supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:29
-	1	((signal adj1 line) near processor) same ((signal adj1 line) near (power adj1 supply))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 10:32

-	4	processor near interface near battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 10:35
-	1	processor near communicate near battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 12:43
-	2	("20020066048").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 12:44
-	0	("landbus").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 12:44
-	1	((("20020066048").PN.) and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 14:07
-	2	("6631474").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 14:07
-	1	((("6631474").PN.) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 14:19
-	2	("6240521").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 14:19
-	2	((("6240521").PN.) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:11
-	4442	(keyboard adj1 controller) or KBC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:11
-	261	((keyboard adj1 controller) or KBC) and ((two or "2") near outputs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:13
-	29	((keyboard adj1 controller) or KBC) near ((two or "2") near outputs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:18
-	0	((keyboard adj1 controller) or KBC) near (suppress or block or inhibit) near output near processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:19
-	0	((keyboard adj1 controller) or KBC) near (suppress or block or inhibit) near (output or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/17 15:20

-	0	((keyboard adj1 controller) or KBC) near (refrain or suppress or block or inhibit) near (output or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:21
-	1	((keyboard adj1 controller) or KBC) near (refrain)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:21
-	4	((keyboard adj1 controller) or KBC) near (block)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:21
-	9578	(POST or ("power on system test")) and (low near power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:26
-	748	(POST or ("power on system test")) and ((keyboard adj1 controller) or KBC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:27
-	144	(POST or ("power on system test")) and ((keyboard adj1 controller) or KBC) and (low near power)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:27
-	131	(POST or ("power on system test")) and ((keyboard adj1 controller) or KBC) and (low near power) and determine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:27
-	0	(POST or ("power on system test")) and ((keyboard adj1 controller) or KBC) and ((low near power) near determine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:28
-	0	(POST or ("power on system test")) and ((keyboard adj1 controller) or KBC) and ((mode near power) near determine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 09:28
-	31	(POST or ("power on system test")) and ((keyboard adj1 controller) or KBC) and ((mode) near determine)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:17
-	2	("4621319").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 10:17
-	17	4621319.URPN.	USPAT	2004/02/18 10:18